


BRASCOLITE

PATENTED AND TRADE MARK REGISTERED

The Ideal Light for every Purpose



TELEGRAPH CODE

Registered Cable Address "BRASCOLITE, ST. LOUIS, U. S. A."

The following code words are in constant use between our various offices and have been found to considerably simplify and abbreviate telegrams, while at the same time conveying full and definite information.

WE REQUEST THAT YOU USE THIS CODE, ALSO FIXTURE CODE WORDS RATHER THAN TYPE NUMBERS

INSTRUCTIONS

Illude . . . Big order pending
Illuminate . . Blue prints have been mailed
Image Cancel order number
Imbed Customer's order number is
Imitate Change route immediately and see—
Immense Designs will go forward
Impair Full report will be ready by—
Impart Get in touch immediately with
Imperil Hold for further advice, order number—
Impetus Name of customer is—
Implicate . . . Order amounts to—
Implore Purchaser's financial standing is O. K.
Import Purchaser's financial standing is unknown to us
Impose Referring to Engineering Report number
Imprint Send all mail to—

Improve Send check to the following address
Impute Send following adv. matter to—
Incase Send following plates to—
Incense This must have immediate attention
Incision This is a consumer
Incite This is a dealer
Incline This is an agent
Include This is a jobber
Income Will send by mail, further information
Incur What finish desired on order—
Imposter Referring to our order number—
 (For figures see key below)
Instill Order not approved by credit department
Indelible . . . Will you accept billing order received direct from
 name of customer and list amount following

ADVISE AND ANSWER

Abbott Advice by mail
Abdicate . . . Advice by telegram
Abide Answering your telegram
Ability Answering your letter
Abroad Must have your reply at once
Accent Immediate reply requested to our letter of—
Accept Where will you be on—
Acclaim Refer to your telegram
Accede Refer to our telegram
Acanthus . . . Please answer our telegram

Accord Please answer our letter
Accrue Refer to your letter
Action Refer to our letter
Actuary Order is being held up awaiting your reply to our
 letter of—
Acumen Advise by mail if want shipment by Express
Adjudicate . . Advise by wire if want shipment by Express
Adjutant . . . Advise by mail if want shipment by Freight
Admiralty . . . Advise by wire if want shipment by Freight

SHIP AND SHIPMENTS

Saline Change shipping directions
Salmon Change shipping date to
Salute Duplicate order for
Salvage Get ready for shipment but hold for instructions
Sampler Refer to your order number—
Sanctify When will you ship?
Sanction How soon can you ship?
Sandal Specifications not clear, advise
Sandy By what route did you ship order to—
Sanguine . . . If you cannot ship at once, approximate shipping
 date
Sanitary Shipping weight, approximate number of lbs.
Satisfy Ship the following samples
Sauce Send prepaid and charge on bill
Scald Ship at once by express
Scamper Ship at once by freight
Scanty Ship at once by Exp. C. O. D.
Scarcity Ship at once by Frt. B/L attached
Scenic Send tracer after shipment
Sago Shipment is being vigorously traced
Sage Advise correct name of consignee and destination
Sap We have made complete shipment of all orders

Scheme Ship with other goods the following
Scholar When was order shipped to—
Schooner We can ship in following number of days
Science We will ship today
Scissors We will ship tomorrow
Scrape We will ship latter part of week
Scribe We will ship early part of next week
Selfish We will ship latter part of next week
Sense We cannot promise to ship before
Shingles We can make immediate shipment
Shirk We made partial shipment on
Skull We made complete shipment
Skurry Advise on what basis C. O. D. Billing is to be
 rendered
Sky Shipment is now in course of transit
Skylark Order was shipped on the following date exclud-
 ing the following items about which we are
 writing you
Skylight Order will be shipped on the following date ex-
 cluding the following items about which we
 are writing you

QUOTE AND QUOTATIONS

Quadrangle . . Have you quoted
Quadrant . . . Have quoted list
Quadroon . . . Have quoted net
Quill Quote list price only

Quib You quote direct
Quire Quote net price only
Quiver Wait for quotations
Quiz We are quoting

For Telegraphic Figures Use the Following Key: { B R A S C O L I T E
 { 1 2 3 4 5 6 7 8 9 0

BRASCOLITE

CORRECTIONS

Type "EE" 17½" -- 300 Watt
Illustrated on page 4 -- The list
price is \$29.00 instead of \$25.00.

Type "STDS" -- Magic-Lite
Illustrated on page 22 is furnished
with single chain hanger instead
of three chain.

PATENTED AND TRADE-MARK REGISTERED
TRADE MARK

AGLITE
ALL GLASS

PATENTS PENDING

E-Lite

ENTED

TRADE MARK REG.

LUMO-VITRO
SWITCH PLATES
PORCELAIN ENAMELED

TRADE MARK REG.

ILLUMINATION

More Efficient	Better Quality	Uniform Distribution
Good Ventilation	Less Drop in Efficiency	Easier to Maintain
		Excellent Construction

THE HIGH EFFICIENCY of the Brascolite is obtained by the unique and relative positions of the lamp, bowl, and reflector, diffusing and reflecting the light to the working plane with a minimum loss. Photometric tests indicate an average efficiency of the Brascolite of over 80 per cent. By comparison with photometric tests of direct reflectors you will find that it is more efficient than 90 per cent of the direct reflectors and that it shows an average efficiency of effective lumens on the working plane of 65 per cent as against an average efficiency of 35 per cent for ordinary semi-indirect systems and of about 25 per cent for indirect systems.

THE QUALITY of the light and the **UNIFORMITY OF DISTRIBUTION** are as good as any artificial light produced by any method, due to all light rays being diffused through the glass or reflected from the white plane.

THE DROP IN EFFICIENCY is less in Brascolites than with direct reflectors, ordinary semi-indirect units or indirect units. Comparative tests under identical conditions indicated a 3 per cent drop in the Brascolite, a 5 per cent drop in the direct reflected light, 7 per cent drop in the indirect units and an 8½ per cent drop in an ordinary semi-indirect fixture. This comparison not only shows that the **MAINTENANCE** cost with the Brascolite system is less than with other systems, but also shows that a constant saving in current consumption is affected. This low rate of depreciation is due to the construction of the fixture, which eliminates the rapid accumulation of dust and provides perfect ventilation. The adjustable feature of the new hook support makes it possible to easily position the bowl in proper relation to the lamp filament, thereby eliminating shadows from the reflector and halos from the ceiling.

MECHANICAL FEATURES are simple, substantial and practical. Brascolites are made and shipped complete for installation on any standard outlet. They are packed in unit cartons made to railroad specifications and can be delivered on the job without assembling.

The **INDUSTROLITE** shown on page 24 is a new development for factory lighting, providing highly efficient illumination with absence of glare. Its use promotes safety, and increases production.

The **AGLITE**, a new all glass fixture with marble-like appearance, is the ideal lighting unit for use in bath-rooms, hospitals, or wherever sanitation or cleanliness are essential. It harmonizes with hospital furniture and will not discolor or become tarnished.

The **E-LITE**, a new all glass ornamental unit is a most beautiful and efficient unit for bedrooms, reception halls, small parlors, under balconies in hotels and other locations where the unit must harmonize with decorative surroundings.

Catalog No. 9 (this issue) supersedes all previous catalogs, and prices become effective May, 1922, and are subject to change without notice. Prices are for fixtures complete (excepting lamps), including packing, cartons, crates and cartage f. o. b. St. Louis, Missouri. Shipping weights given are approximate and are not guaranteed.

NOTE.—All Prices in previous Catalogs are withdrawn and new prices will be quoted on application.


The fixtures shown in this Catalog, with a few exceptions, are patented.

Brascolites, particularly, are thoroughly protected by both mechanical and design patents.


All rights created by the patents are reserved and will be fully protected.

BRASCOLITE COMPANY Division of the **ST. LOUIS BRASS MFG. COMPANY**
ST. LOUIS, U. S. A.

(Copyright 1922, by Brascolite Company)



TYPE AF



TYPE AH

TYPE AF

Reflector All White Glazed Porcelain Enamel
Type AFB same as Type AF—With Band Finished Leather Bronze
Furnished Without Additional Charge

Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Type AF Code	Type AFB Code	Ship. Wt. Lbs.
40 to 75 Medium Socket ..	10	6½	\$ 8.00	Abate	Acme	7
100 to 150 Medium Socket ..	14	8½	10.00	Abbey	Acre	12
200 Medium Socket ..	18	11	15.00	Abet	Acrobat	22
300 Mogul Socket ...	18	11	15.00	Abject	Access	22
400 to 500 Mogul Socket....	22	14	23.00	Abrupt	Acute	42

TYPE AH

Reflector same as Type AF—Hanger Leather Bronze Finish
Type AHB same as Type AH—With Reflector Band Leather Bronze Finish


Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Type AH Code	Type AHB Code	Ship. Wt. Lbs.
40 to 75 Medium Socket ..	10	6½	\$12.00	Actor	Affix	12
100 to 150 Medium Socket ..	14	8½	14.00	Acorn	Alack	17
200 Medium Socket ..	18	11	19.00	Adage	Alert	26
300 Mogul Socket ...	18	11	19.00	Adult	Alarm	26
400 to 500 Mogul Socket ...	22	14	27.00	Adept	Alto	47

Standard Length, 4 feet. Additional Length, per foot, 80c

For Method of Lengthening See Note on page 26.

Pull Switch Furnished for Any of the Above at \$1.20 Additional


FOR STANDARD FINISHES OTHER



TYPE WD


TYPE WD					
Reflector White Glazed Porcelain Enamel— Band					
Finished Leather Bronze					
Size—Watts	Out. Dia.	Bowl	Price	Code	Ship.Wt.
Inches	Inches	Inches			Lbs.
40 to 75 Medium Socket.	11	6½	\$ 9.00	Wade	7
100 to 150 Medium Socket.	15	8½	11.00	Wafer	12
200 Medium Socket.	19	11	16.00	Wage	22
300 Mogul Socket...	19	11	16.00	Wager	22
400 to 500 Mogul Socket...	23	14	24.00	Wagon	42

TYPE YD					
Reflector Same as Type WD—Hanger Finished Leather Bronze					
Size—Watts	Out. Dia.	Bowl	Price	Code	Ship.Wt.
Inches	Inches	Inches			Lbs.
40 to 75 Medium Socket.	11	6½	\$13.00	Yarn	12
100 to 150 Medium Socket.	15	8½	15.00	Yarl	17
200 Medium Socket.	19	11	20.00	Yawn	26
300 Mogul Socket..	19	11	20.00	Yawned	26
400 to 500 Mogul Socket..	23	14	28.00	Yeast	47
Standard Length, 4 feet. Additional Length, per foot, 80c					
For Method of Lengthening, See Note on Page 26					
Pull Switch Furnished for Any of Above at \$1.20 Additional					




TYPE YD

THAN SPECIFIED, ADD 10 PER CENT



NOTE
Reflector is
Porcelain

TYPE CE



TYPE EE

TYPE CE

Reflector is Solid Porcelain—All White Glazed

Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship Wt. Lbs.
40 to 75 Medium Socket.....	11	6½	\$11.00	Cat	11
100 to 150 Medium Socket.....	14	8½	14.00	Cease	14
300 *Mogul Socket.....	17½	11	25.00	Censor	25

*To Reduce Mogul Socket to Medium Base Use Adapter at 60c Additional

TYPE EE

Reflector Same as Type CE—Hanger Leather Bronze Finish

Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
40 to 75 Medium Socket.....	11	6½	\$15.00	Eve	16
100 to 150 Medium Socket.....	14	8½	18.00	Eden	19
300 *Mogul Socket.....	17½	11	25.00	Edit	31


*To Reduce Mogul Socket to Medium Base Use Adapter at 60c Additional

Standard Length, 4 feet. Additional Length, per foot, 80c

For Method of Lengthening, See Note on Page 26

Pull Switch Furnished for Any of the Above at \$1.20 Additional

FOR STANDARD FINISHES OTHER




TYPE WF

TYPE WF

Ornamental Ring, Brass Metal, Finished Antique Gold.
Fret in Old Ivory—Reflector White Glazed,
Porcelain Enamel

Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
100–150 Medium Socket.....	17	8½	\$16.00	Wake	15
200 Medium Socket.....	21	11	24.00	Wallop	25
300 Mogul Socket.....	21	11	24.00	Walrus	25



TYPE YFF


TYPE YFF

Three Chain Hanger
Ornamental Ring and Hanger, Brass Metal, Finished
Antique Gold
Fret in Old Ivory—Reflector White Glazed,
Porcelain Enamel


Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
100–150 Medium Socket.....	17	8½	\$20.00	Yale	21
200 Medium Socket.....	21	11	28.00	Youth	31
300 Mogul Socket.....	21	11	28.00	York	31

Standard Length, 4 feet. Additional Length, per foot, 80c.
For Method of Lengthening, See Note on Page 26
Pull Switch Furnished for Any of Above at \$1.20 Additional

THAN SPECIFIED, ADD 10 PER CENT



TYPE IH



TYPE IJ

TYPE IH

Reflector White Glazed Porcelain Enamel
Band Finished Leather Bronze

Size—Watts	Out. Dia. Inches	Bowl Dia. Inches	Price	Code	Ship.Wt. Lbs.
100-150 Medium Socket.....	14	9	\$14.00	Immortal	12
200 Medium Socket.....	18	11½	20.00	Ideal	17
300 Mogul Socket.....	18	11½	20.00	Ignite	17


TYPE IJ

Three Chain Hanger Type
Reflector White Glazed Porcelain Enamel
Band Finished Leather Bronze

Size—Watts	Out. Dia. Inches	Bowl Dia. Inches	Price	Code	Ship.Wt. Lbs.
100-150 Medium Socket.....	14	9	\$18.00	Ilk	22
200 Medium Socket.....	18	11½	24.00	Idea	23
300 Mogul Socket.....	18	11½	24.00	Ignition	32

Standard Length, 4 Feet. Additional Length per foot 80c. For Method of Lengthen-
ing, See Note on Page 26. Pull Switch Furnished for \$1.20 Additional

FOR STANDARD FINISHES OTHER



TYPE WG

TYPE WG

Ornamental Ring, Brass Metal, Finished Antique Gold
Fret in Old Ivory—Reflector White Glazed Porcelain
Enamel

Size—Watts	Out.		Price	Code	Ship. Wt. Lbs.
	Dia. Inches	Bowl Inches			
100-150 Medium Socket....	17	9	\$19.00	Wean	12
200 Medium Socket....	21	11½	28.00	Wail	19
300 Mogul Socket.....	21	11½	28.00	Wait	19


TYPE YGG

Three Chain Hanger

Ornamental Ring and Hanger, Brass Metal, Finished
Antique Gold
Fret in Old Ivory—Reflector White Glazed Porcelain
Enamel

Size—Watts	Out.		Price	Code	Ship. Wt. Lbs.
	Dia. Inches	Bowl Inches			
100-150 Medium Socket....	17	9	\$25.00	Yelp	15
200 Medium Socket....	21	11½	34.00	Yell	22
300 Mogul Socket.....	21	11½	34.00	Yelk	22

Standard Length, 4 feet. Additional Length, per foot, 80c
For Method of Lengthening, See Note on Page 26
Pull Switch Furnished for any of Above at \$1.20 Additional



TYPE YGG

THAN SPECIFIED, ADD 10 PER CENT.

TYPE VFF

Reflector, White Glazed Porcelain Enamel
Ornamental Band is Compo—Old Gold Finish
Hanger, Finished to Match

Size—Watts	Out. Dia.	Bowl Inches	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket	16	8½	\$22.00	Vague	30
200 Medium Socket	20	11	28.00	Vale	40
300 Mogul Socket..	20	11	28.00	Van	40
400-500 Mogul Socket..	24	14	38.00	Vat	55

Standard Length, 4 feet. Additional Length, per foot, 80c


Pull Switch Furnished for Either of Above, \$1.20 Additional

For Method of Lengthening, See Note on Page 26

TYPE VD

Reflector, White Glazed Porcelain Enamel
Ornamental Band in Compo—Old Gold Finish.

Size—Watts	Out. Dia.	Bowl Inches	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket	16	8½	\$17.00	Vamp	25
200 Medium Socket	20	11	23.00	Vault	35
300 Mogul Socket..	20	11	23.00	Vaulted	35
400-500 Mogul Socket..	24	14	33.00	Vampire	50



TYPE VFF


Any "Sprayed Bronze" Finish on Compo
Fixtures Without Extra Charge. Old Ivory,
10 Per Cent Additional. Burnished Fin-
ishes, 25 Per Cent Additional.

TYPE EG
Is Type EF up to Arrow.
Out. Dia. Bowl Dia.

Size—Watts	Inches	Inches	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket..	18	8½	\$22.00	Earn	13
200 Medium Socket..	23	11	30.00	Easter	18
300 Mogul Socket....	23	11	30.00	Eager	18
400-500 Mogul Socket....	28	14	44.00	Ebb	28

TYPE EI
Is Type EH up to Arrow.
Out. Dia. Bowl Dia.

Size—Watts	Inches	Inches	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket..	17	8½	\$22.00	Harsh	12
200 Medium Socket..	22	11	30.00	Haunt	17
300 Mogul Socket....	22	11	30.00	Hatch	17
400-500 Mogul Socket....	27	14	44.00	Hay	27




TYPE EF

Body Compo, Standard Finish, Old Gold,
Reflector, White Glazed Porcelain Enamel.

Size—Watts	Inches	Inches	Feet	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket	18	8½	5	\$42.00	Echo	30
200 Medium Socket	23	11	5	50.00	Eel	40
300 Mogul Socket..	23	11	5	50.00	Eclipse	40
400-500 Mogul Socket..	28	14	5	64.00	Elder	55

Additional Length per foot \$1.00. Pull Switch Furnished at \$1.20 Additional.




TYPE EH

Body Compo, Standard Finish, Old Gold,
Reflector, White Glazed Porcelain Enamel.

Size—Watts	Inches	Inches	Feet	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket	17	8½	5	\$40.00	Halo	32
200 Medium Socket	22	11	5	48.00	Hare	42
300 Mogul Socket..	22	11	5	48.00	Hail	42
400-500 Mogul Socket..	27	14	5	62.00	Hack	58

Additional Length per foot \$1.00. Pull Switch Furnished at \$1.20 Additional.

Any Sprayed Finish on Compo Fixtures can be had without extra charge. Old Ivory, 10 per cent Additional. Burnished Finishes are 25 per cent Additional.




TYPE OE

Reflector, White Glazed Porcelain Enamel—Fret Old Ivory
Ornamental Band is Compo—Old Gold Finish
4 Medium Sockets in Crown Above Reflector

Size—Watts	Out. Dia. Inches	Bowl Dia. Inches	Length	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket..	18	9	5 ft.	\$75.00	Okra	55
200 Medium Socket..	22	11½	5 ft.	88.00	Onyx	85
300 Mogul Socket....	22	11½	5 ft.	88.00	Opress	85

Additional Length, per foot, \$1.00
Pull Switch Furnished at \$1.20 Additional



TYPE OG

Made of Hand Wrought Metal, Finished Black and Gold.
Reflector White Glazed Porcelain Enamel.

Size—Watts	Out. Dia. Inches	Bowl Dia. Inches	Length Feet	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket..	15	9	5	\$65.00	Oar	22
200 Medium Socket..	18	11½	5	90.00	Oats	34
300 Mogul Socket....	18	11½	5	90.00	Obstruct	34
400-500 Mogul Socket....	24	16	5	130.00	Obtuse	56

Extra Lengthening \$1.00 per foot. Pull Switch Furnished at \$1.20 Additional.

TYPE OEC

Is Type OC Up to the Arrow

Out. Dia. Inches	Bowl Dia. Inches	Price	Code	Ship. Wt. Lbs.
18	9	\$35.00	Optic	30
22	11½	48.00	Oral	60
22	11½	48.00	Orange	60

TYPE OGC

Is Type OG up to Arrow.

Out. Dia. Inches	Bowl Dia. Inches	Price	Code	Ship. Wt. Lbs.
15	9	\$35.00	Occult	15
18	11½	50.00	Ocher	23
18	11½	50.00	Octave	23
24	16	70.00	Octopus	32

Any Sprayed Finish on Compo Fixtures can be had without extra charge. Old Ivory, 10 per cent Additional. Burnished Finishes are 25 per cent Additional.



TYPE RH

Bracket Compo Finished Verde Gold, Lamps Not Included
(2 Lights, Keyless Sockets)

Spread Over All	Height Over All	Price	Code	Ship. Wt. Lbs.
12 in.	16 in.	\$22.00	Rack	14


Canopy Switch Furnished at \$2.50 Additional

Any "Sprayed Bronze" Finish on Compo
Fixtures Without Extra Charge. Old Ivory,
10 Per Cent Additional. Burnished Finishes, 25
Per Cent Additional.



TYPE RJ

Bracket Compo, Finished Verde Gold, Lamp Not Included
(1 Light, Keyless Socket)
Extends Height Over All Price Code Ship. Wt. Lbs.
7 in. 16 in. \$12.50 Rattan 8
Canopy Switch Furnished at \$2.50 Additional



Note—Glass Bowl is Adam Relief Etched—A
White Glass with Design Slightly Embossed in a
Light tan color.

TYPE XJE

Ornamental Body of Compo, Finished Verde Gold
Fret Old Ivory

Reflector White Glazed Porcelain Enamel

Size—Watts	Out. Dia. Inches	Size Inches	Bowl Upper Inches	Lights	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket.	17	10	3	\$53.50	Waddle	65	
200 Medium Socket.	21	12	4	70.00	Wag	78	
300 Mogul Socket.	21	12	4	70.00	Walter	78	
400-500 Mogul Socket.	25	14	6	102.00	William	100	

Additional Length, per foot, \$2.00

Pull Switch, \$1.20 Additional

Standard Length, 5 feet

TYPE WJE

Same as Type XJE, Without Upper Lights

Out. Dia. Inches	Size Bowl Inches	Price	Code	Ship. Wt. Lbs.
17	10	\$41.50	Wallet	60
21	12	54.00	Waltz	73
21	12	54.00	Wan	73
25	14	78.00	Wand	90

Additional Length, per foot, \$2.00



Pull Switch, \$1.20 Additional

TYPE XJCE

Ceiling Type Up to Arrow

Out. Dia. Inches	Size Bowl Inches	Price	Code	Ship. Wt. Lbs.
17	10	\$27.50	War	27
21	12	35.00	Warm	38
21	12	35.00	Wart	38
25	14	57.50	Wax	52


Pull Switch, \$1.20 Additional



DETAIL SHOWING METHOD OF
ATTACHING WIRE GUARD TO
CEILING INDEPENDENT OF THE
BRASCOLITE

Wire Guards and Supporting Rings to Fit Over
Standard Brascolites.

Guard No.	For Use with Brascolite Size—Watts	Price	Code	Ship.Wt. Lbs.
G-1797	40-75	\$ 5.00	Neal	6
G-1798	100-150	7.50	Nix	8
G-1799	200-300	10.00	Nestle	10
G-1800	400-500	15.00	Newel	12



TYPE GC

Price Fixture Only, Socket Not Included, as its Purpose is to Attach
to Old Sockets by Means of Standard Shade Holder


Size—Watts	Out. Dia. Inches	Bowl Inches	Fitter Inches	Price	Code	Ship.Wt. Lbs.
40 to 75	10	6½	2½	\$ 8.00	Bargain	7
100-150	14½	8½	2½	10.00	Bath	10

TYPE KF

Reflector is of AF Type
See Description on Page 2


Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship.Wt. Lbs.
40 to 75	10	6½	\$ 9.00	Lancet	9
100-150	14	8½	11.00	Lard	14

Manufacturers' Name and Number Whether AC, DC, Plain or
Ornamental Fan Must be Specified When Ordering



TYPE KF

Pull Switch for Control of Light Only at \$1.20 Additional
Two Pull Switches for Separate Control of Single Speed Fan and
Light, \$2.40 Additional
Two Pull Switches for Separate Control of Two or Three Speed Fan
and Light at \$4.50 Additional
Pull Switches for Control of Fan are Furnished Wired with Termi-
nals Marked Ready for Connection to Wires from Fan and
Replace Fan Switches Regularly Supplied with Fan,
Which May be Omitted




TYPE SF

Reflector, White Glazed Porcelain Enamel
Band Finished Leather Bronze
Emblematic or Trade-Mark, Etched Bowls in Full Colors

Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
200 Medium Socket.....	19	11½	\$29.00	Senate	23
300 Mogul Socket.....	19	11½	29.00	Sexton	23
400-500 Mogul Socket.....	23	16	42.00	Shad	36

Pull Switch, \$1.20 Additional

Prices as listed include any National Trade-Mark or Emblem. Where individual Trade-Mark, Monogram or Emblem is required, an extra Charge of \$25.00 net will be made for Etching Plate for each size Bowl from which any number of Bowls may be Etched



TYPE PG

Same as Type PE, Except
with Daisy Decorated Bowl

Out. Dia. Inches	Code
15	Medium
19	Socket.....Parship
19	Medium
19	Socket.....Pastor
19	Mogul
19	Socket.....Pecan



TYPE PE

Reflector, White Glazed Porcelain Enamel
Band Finished Old Ivory
Rose Decorated Bowl in Natural Colors

Size—Watts	Out. Dia. Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
40 to 75 Medium Socket	15	9	\$16.00	Panel	12
100 to 200 Medium Socket	19	11½	23.00	Panic	22
300 Mogul Socket.....	19	11½	23.00	Papoose	22

Pull Switch, \$1.20 Additional

TYPE PD

Same as Type PE, Except
with Forget-Me-Not Decorated Bowl

Out. Dia. Inches	Code
15	Medium
19	Socket.....Platoon
19	Medium
19	Socket.....Plane
19	Mogul
19	Socket.....Picture

TYPE PF

Same as Type PE, Except
with Wisteria Decorated Bowl


Out. Dia. Inches	Code
15	Medium
19	Socket.....Parapet
19	Medium
19	Socket.....Park
19	Mogul
19	Socket.....Parrot




TYPE RK
Bracket Compo, Standard Finish, Verde Gold, Lamp
Not Included

Extends	Height Over All	Price	Code	Ship. Wt. Lbs.
15 in.	22 in.	\$40.00	Rally	35

Canopy Switch Furnished at \$2.50 Additional



Winches Furnished for Raising
and Lowering These Fixtures
at \$30.00 Additional. Cable
Extra. Code—Winch




TYPE RL
Bracket Compo, Standard Finish, Verde Gold, Lamps
Not Included

Extends	Height Over All	Price	Code	Ship. Wt. Lbs.
16 in.	28 in.	\$50.00	Random	35

5 Porcelain Candles Included
Canopy Switch Furnished at \$2.50 Additional

Any "Sprayed Bronze" Finish on Compo
Fixtures Without Extra Charge. Old
Ivory, 10 Per Cent Additional. Burnished
Finishes, 25 Per Cent Additional.



TYPE WK

Reflectors, White Glazed Porcelain Enamel
Ornamental Body of Compo—Verde Gold Finish
Size—Watts Out. Dia. Bowls Length
1-400 500 Mogul Socket, and } 5 ft. { 11½ in. } 8 ft.
6-100-200 Medium Sockets } { 9 in. }
Price \$392.50 Code Ship. Wt. Lbs.
Waffle 1225
3-Inch Iron Loop on Stem 15 Inches Above the Canopy
Additional Length, per foot, \$2.00

TYPE WCK

Is the Same Fixture Without the Compo Crown on Body
Price \$325.00 Code Wad Ship. Wt. Lbs.
1000

NOTE

Extra Sockets and Husks Around Top of Band as on Type
XJE (Page 11) at \$4.00 Each Additional


TYPE WK



TYPE PI
Made of Hand Wrought Metal
Polychrome Finish
Extends 10 inches over all height 27 inches over all
Furnished complete except lamps
5 lights - Price \$90.00
Code—Pony. Ship. Wt. 25 Lbs.
Canopy switch \$2.00 Additional.



TYPE PJ
Made of Hand Wrought Metal.
Polychrome Finish - 2 lights.
Extends 4 inches over all - spread 6 inches
Furnished complete except lamps
2 lights - Price \$32.00
Code—Poppy. Ship. Wt. 6 Lbs.
Canopy switch at \$2.00 Additional.



TYPE PH
Made of Hand Wrought Metal Polychrome Finish.
Reflector of White Glazed Porcelain Enamel.
Bowl of Adam etched glass with medallion in white and blue.
Out. Dia. Bowl Length Ship. Wt.
Size—Watts Inches Inches Feet Price Code Lbs.
100-150 Medium Socket 16 8 5 \$135.00 Pomade 75
200 Medium Socket 22 12 5 185.00 Pomp 90
300,400,500 Mogul Socket 26 14 5 235.00 Poncho 150
Additional Length per foot \$1.80. Pull Switch furnished at \$1.20 Additional

TYPE PH



Wild Rose Design—Parchment Shade
14 in. No. G-1771 22 in. No. G-1773
18 in. No. G-1772 5 in. No. G-1774



Rose and Butterfly Design
Parchment Shade
14 in. No. G-1775 22 in. No. G-1777
18 in. No. G-1776 5 in. No. G-1778

PRICES OF SHADES ONLY
(Silk or Parchment)

14 in. any design shown	\$ 9.00
18 in. any design shown	13.00
22 in. any design shown	17.00
5 in. any design shown	3.00

Silk and Parchment Shades can also
be used in Connection with Sus-
pended Type Brascolites Shown on
Pages Two and Three.



TYPE DF

Type	No. of Parchment Shade	Dia. Shade	Extension	Price	Code
D. F.	G-1774	5 in.	7 in.	\$10.00	Dapper
D. G.	G-1778	5 in.	7 in.	10.00	Daze
D. H.	G-1782	5 in.	7 in.	10.00	Dazzler
D. I.	G-1786	5 in.	7 in.	10.00	Dean

Price is for Bracket Complete with Insulating Joint and Pull Socket
Lamp not Included. Finish Antique Gold



TYPE GEX—GEY—GEZ
Brascolite Complete with Any Shade Shown on This Page
Reflector Same as Type GC Page 8

Type	Reflector	Size Lamp	Shade	Price	Ship. Wt. Lbs.
GEX	10 in.	40-75 W	14 in.	\$19.00	15
GEY	14 in.	100-150 W	18 in.	27.00	20
GEZ	18 in.	200 W	22 in.	36.00	30


In Ordering, Specify Parchment Shades by Number. Silk Shades by
Both Number and Color—Gold, Blue, Rose or Gray
Standard Length, 4 Feet Over All. Additional Length, per foot, 75c.
Pull Switch at \$1.20 Additional
Metal Parts of Hanger Finished Antique Gold



TYPE YEZ

Type	No.	Color of Silk Shade	Dia. Shade	Extension	Price	Code
YEZ		Old Rose	5 in.	7 in.	\$10.00	Bark
YEX		Old Gold	5 in.	7 in.	10.00	Barley
YEX		Gray	5 in.	7 in.	10.00	Baron
YEW		Blue	5 in.	7 in.	10.00	Barrack

Price is for Bracket Complete with Insulating Joint and Pull Socket
Lamp not Included. Finish Antique Gold



Conventional Design—Parchment
Shade
14 in. No. G-1779 22 in. No. G-1781
18 in. No. G-1780 5 in. No. G-1782



Mottled Tan and Blue—Parchment Shade
14 in. No. G-1783 22 in. No. G-1785
18 in. No. G-1784 5 in. No. G-1786

Parchment shades shown above are made by us of the best quality materials, hand painted in oil colors.

Parchment material is sewn to wire frame, top and bottom finished with gold galloon braid.

These shades are the result of two years development—especial attention being given to the color effect when lighted, the maximum transparency and permanence of materials.

All artificial means of duplicating, such as stencils, decalcomanias, printing, etc., were found unsatisfactory for color designs on these shades, the only real artistic effect is obtained by hand painting, which is the method we have adopted.

These shades can be washed as they are varnished for that purpose.

TYPE XO

Is Fixture XM or XP Up to the Arrow

	Out. Dia. Inches	Price	Code	Ship. Wt. Lbs.
Medium Socket...	14	\$21.75	Qualm	15
Medium Socket...	16	32.50	Quart	20
Medium Socket...	22	44.00	Quirk	30
Mogul Socket...	22	44.00	Quell	35
Mogul Socket...	28	58.50	Quibbel	45
Mogul Socket...	36	72.00	Quince	85




TYPE XM

Reflector, White Glazed Porcelain Enamel
Ornamental Body of Compo—Old Gold Finish

Size—Watts	Out. Dia. Inches	Bowl Length Inches	Feet	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket	16	9	5	\$47.50	Exclaim	30
200 Medium Socket	22	11½	5	64.50	Exertion	40
300 Mogul Socket..	22	11½	5	64.50	Exhort	40
400-500 Mogul Socket..	28	16	5	88.00	Exile	70
400-500 Mogul Socket..	36	20	5	109.00	Exotic	120

Additional Length, per foot, \$1.00. Pull Switch, \$1.20 Additional




TYPE XP

Reflector White Glazed Porcelain Enamel
Ornamental Body of Compo—Old Gold Finish


Size—Watts	Out. Dia. Inches	Bowl Length Inches	Feet	Price	Code	Ship. Wt. Lbs.
100-150 Medium Socket	16	9	5	\$41.75	Expel	20
200 Medium Socket	22	11½	5	53.25	Expend	30
300 Mogul Socket..	22	11½	5	53.25	Explat	40
400-500 Mogul Socket..	28	16	5	67.75	Explicit	60
400-500 Mogul Socket..	36	20	5	83.00	Exorbitant	90

Additional Length, per foot, \$1.00. Pull Switch, \$1.20 Additional

Any Sprayed Finish on Compo Fixtures can be had without extra charge. Old Ivory, 10 per cent Additional. Burnished Finishes are 25 per cent Additional.



Winches Furnished for Raising and Lowering
These Fixtures at \$30.00 Additional. Cable
Extra. Code—Winch.



TYPE QG

7-Light Unit. Body Compo. Old Gold Finish
Reflectors, White Glazed Porcelain Enamel
Size—Watts Out. Dia. Bowls Length
1-400 or 500 Mogul Socket, and } 5 ft. { 16 in. } 8 ft.
6-300 Mogul Socket } 11½ in.
Price Code Ship.Wt.
\$430.00 Quaff 800 lbs.

5-Light Unit

Size—Watts Out. Dia. Bowls Length
1-300 Mogul Socket, and } 50 in. { 11½ in. } 6 ft.
4-200 Medium Socket } 9 in.
Price Code Ship.Wt.
\$260.00 Quay 300 lbs.
3-Inch Iron Loop on Stem 15 Inches Above the Canopy
Additional Length, per foot, \$2.00

TYPE QGX


Is the Same Fixture Without the Compo Crown on the
Body
Price Code Ship.Wt.
60 in.—\$390.00 Quake 600 lbs.
50 in.— 230.00 Quaint 225 lbs.

NOTE

Candle Outfits as on Type XS (Page 19), Can be
Furnished at \$4.00 Each Additional


Any Sprayed Finish on Compo Fixtures can
be had without extra charge. Old Ivory, 10 per
cent Additional. Burnished finishes are 25 per
cent Additional.

TYPE QG



TYPE RM

Metal Bracket. Band Compo. Standard Finish
Old Gold. Reflector, White Glazed Porcelain Enamel
Size—Watts Extends Bowl Length Price
40 to 75..... 18 in. 7 in. 26 in. \$46.75
Code—Rap Ship.Wt., 52 Lbs.
Size—Watts Extends Bowl Length Price
100 to 200..... 20 in. 9 in. 26 in. \$57.50
Code—Rapier. Ship. Wt., 62 Lbs.
Pull Switch, \$1.20 Additional




TYPE RF

Metal Bracket, Old Gold Finish

Size—Watts	Spread Inches	Lights	Price	Code	Ship.Wt Lbs.
15 to 25.....	9	2	\$27.50	Raisen	20
15 to 25.....	12	3	33.50	Raja	23

Ball Lamps Not Included
Canopy Switch Furnished at \$2.50 Additional



TYPE XS

Body Compo, Old Gold Finish
Reflectors, White Glazed Porcelain Enamel

Size Watts	Outside Diam. Ins.	Bowl Diam. Ins.	Number of Candles	Length Feet	Price	Code	Ship Wt. Lbs.
150-200							
Med.Skt.	23	11½	4	5	\$ 90.00	Excise	125
300-500							
Mogul	28	16	6	5	125.00	Exempt	175
750							
Mogul	40	20	8	5	200.00	Exult	300


Note—When Fixture is desired without Candles, deduct \$4.00 for each Candle from above prices. Additional Length per foot \$2.00. Pull switches \$1.20 additional. Any sprayed Finish on Compo Fixtures can be had without extra charge. Old Ivory 10% additional. Burnished Finishes 25% additional.

TYPE XT


Is the Fixture Up to Arrow
Outside Dia. Bowl

Size—Watts	Outside Diam. Inches	Bowl In.	Price	Code	Ship.Wt. Lbs.
100 to 200					
Medium Socket	23	11	\$45.00	Excavate	60
300					
Mogul Socket.	28	16	62.50	Extant	90
400 to 500					
Mogul Socket.	40	20	110.00	Exterminate	150

Pull Switches \$1.20 Additional



Winches Furnished for Raising
and Lowering These Fixtures
at \$30.00 Additional. Cable
Extra. Code—Winch



TYPE QF

TYPE QF
7-Light Unit


Reflectors, White Glazed Porcelain Enamel		Ornamental Band is Compo—Old Gold Finish	
Size—Watts	Out. Dia.	Bowls	Length
1-400 or 500 Mogul Socket, and	5 ft.	{ 16 in.	8 ft.
6-300 Mogul Socket		{ 11 in.	
Price	Code	Ship. Wt.	
\$450.00	Quack	1175 lbs.	
5-Light Unit			
Size—Watts	Out. Dia.	Bowls	Length
1-300 Mogul Socket, and	50 in.	{ 11 in.	6 ft.
4-200 Medium Socket		{ 9 in.	
Price	Code	Ship. Wt.	
\$275.00	Quartet	500 lbs.	
3-Inch Iron Loop on Stem 15 Inches Above the Canopy.			
Additional Length, per foot, \$2.00			

TYPE QFC

Is the Same Fixture Without the Compo Crown on the Body		
Price	Code	Ship. Wt.
60 in. \$400.00	Quoit	1000 lbs.
50 in. \$240.00	Quota	410 lbs.

NOTE

Candle Outfits as on Type NE (Page 21) Can be Furnished at
\$4.00 Each Additional
Any Standard "Sprayed Bronze" Finish on
Compo Fixtures Without Extra Charge. Old
Ivory, 10 Per Cent Additional. Burnished
Finishes, 25 Per Cent Additional.



TYPE QE

Metal Bracket. Standard Finish, Old Gold. Reflector,
White Glazed Porcelain Enamel
Size—Watts Extends Bowl Length Price Code Ship.Wt.
100-150-200.. 18 in. 9 in. 21 in. \$70.00 Quell 50 lbs.
Same Fixture with Candle Substi-
tuted for Knob at Top..... 74.00 Quest 50 lbs.



TYPE RG

Metal Bracket, Old Gold Finish
Spread
Size—Watts Inches Lights Price Code Ship.Wt.
15 to 25..... 9 2 \$35.00 Ram 22
15 to 25..... 12 3 41.00 Ramble 25
Canopy Switch Furnished at \$2.50 Additional



TYPE NE

Body Compo, Old Gold Finish
Reflectors, White Glazed Porcelain Enamel

Size Watts	Outside Diam. Ins.	Bowl Diam. Ins.	Number of Candles	Length Feet	Price	Code	Ship- Wt. Lbs.
150-200							
Med.Skt.	23	11½	4	5	\$ 90.00	Near	125
300-500							
Mogul	28	16	6	5	125.00	Neck	175
750							
Mogul	40	20	8	5	200.00	Nephew	300

Note — When Fixture is desired without Candles, deduct
\$4.00 for each Candle from above prices. Additional Length
per foot \$2.00. Pull switches \$1.20 additional. Any
sprayed Finish on Compo Fixtures can be had without
extra charge. Old Ivory 10% additional. Burnished
Finishes 25% additional.


TYPE NEC

Out. Dia.	Price	Code	Ship.Wt.
23 in.	\$45.00	Nerve	60 lbs.
28 in.	62.50	Nest	90 lbs.
40 in.	110.00	Neutral	150 lbs.

TYPE NE

MAGIC-LITE

PATENTS PENDING



Section of type "STDS" Showing the Method of Construction which provides ample Ceiling Illumination.



TYPE STDV

White Glazed Porcelain Enameled Steel
Receptacle Connected Direct to Outlet Wires
1 light 2 1/2 in. Holder and No. G1803 White Shade
7 inches Dia.

	Price	Code	Ship. Wt.
50 Watt.....	\$3.20	Shear	3 Lbs.


TYPE STDU

Same as above excepting with No. G1805 White Shade 9 in. Dia.

	Price	Code	Ship. Wt.
1 Light			
75-100 Watt.....	\$3.70	Shin	3 Lbs.

The above units with various size Fitters can be had as priced below without glassware but otherwise complete with Medium Receptacle Bridge, Set screws, etc. Ready for attaching to any standard outlet.
(Lamps not included)

	Holder	Price	Code	Ship. Wt.
TYPE STDV...	2 1/2 in.	\$1.70	Sheik	2 Lbs.
TYPE STDW...	3 1/2 in.	1.80	Sullen	2 Lbs.
TYPE STUF...	4 in.	2.00	Shrine	2 Lbs.
TYPE STOF...	5 in.	2.10	Shad	2 Lbs.
TYPE STVF...	6 in.	2.30	Shah	2 Lbs.



CEILING TYPE STDR

Reflector of White Glazed Porcelain Enamel
Bowl of White Glass Maximum Giving Transmission and Diffusion with an Extremely Low Degree of Absorption.
75 to 200 Watts Reflector 14 1/2 in. Dia. Bowl 8 1/2 in. Dia.
Price \$8.00 Code, Malice Ship. Wt. 6 Lbs.

TYPE STDS

Same as above with 3 chain hanger finished in Leather Bronze.
Fixture 48 in. Long Over All. Ship. Wt. 9 Lbs.
Price \$11.00 Code Malt
Pull Switch furnished for any of the above, at \$1.20 Additional.



TYPE STU

White Glazed Porcelain Enameled Steel
Receptacle Connected Direct to Outlet Wires
1 Light 4 in. Holder and G-554-8 in. x 9 1/2 in. x 4 in. Marbo Glass Urn

	Price	Code	Ship. Wt.
50-75-100 W.....	\$5.50	Shatter	6 Lbs.

TYPE STO

Same as above excepting 5 in. Holder and No. G-555 glass Urn 12 in. x 12 in. x 5 in.

	Price	Code	Ship. Wt.
150 W.....	\$7.45	Shave	8 Lbs.

TYPE STV

Same as above excepting 6 in. Holder and No. G-556 Glass Urn 12 in. x 14 in. x 6 in.

	Price	Code	Ship. Wt.
200 Watt.....	\$11.15	Sheaf	8 Lbs.



TYPE BCH

Bowl—Lower Part Opal Cased, Upper Part Clear
Reflector White Glazed Porcelain Enameled.
Out. Dia. Bowl Service Auxiliary

Size—Watts ..	Inches	Inches	Lights	Lights	Price	Code	Ship. Wt.
40-75 Watts...	12	8	One	None	\$14.00	Brush	10
100-150 Watts.	14 1/2	9	One	One	19.00	Buckle	12
100-150 Watts.	14 1/2	9	One	Two	20.50	Budge	12

Pull Switch for control of one light \$1.20 Additional.
Pull Switch for control of two lights \$2.00 Additional.
The additional lights in larger size fixture are for purpose of night or special requirements in addition to regular service light.



TYPE BF

Prices wired complete, except lamps, Finished All White, 3 porcelain receptacles in ceiling plate. Standard length, 60 inches. Extra lengthening, per foot, \$2.00.

	Spread	Bowl	Code	Price
75 to 150 Watts.....	14"	9"	Shelf	\$37.00
200 Watts.....	20"	11 1/2"	Sherry	44.00
300 to 500 W. Mogul.....	26"	16"	Shire	59.50


TYPE "BFC" is the fixture up to Arrow. Prices complete, except lamps; All White Porcelain Enamel.

	Spread	Bowl	Code	Price
75 to 150 Watts.....	14"	9"	Shoal	\$19.00
200 Watts.....	20"	11 1/2"	Shote	26.50
300 to 500 Watts.....	26"	16"	Shrewd	41.50

Pull Switch furnished for any of the above, at \$1.20 Additional.



		Code	Price
S-10808.	No Switch.....	Adorn	\$4.00
S-10809.	With Switch.....	Adroit	5.20
Shipping Weight 3 Lbs. Each			
Standard Package—Carton of 4			



		Code	Price
S-10804.	No Switch.....	Afield	\$4.00
S-10805.	With Switch.....	Afloat	5.20
Shipping Weight 3 Lbs. Each			
Standard Package—Carton of 4			




		Code	Price
S-10922.	No Switch.....	Ambush	\$5.50
S-10923.	With Switch.....	Amen	6.70
Shipping Weight 3 Lbs. Each			
Standard Package—Carton of 4			



		Code	Price
S-10924.	No Switch.....	Ablaze	\$8.60
S-10925.	With Switch.....	Abode	9.80

*2 C. P. Pilot Light Lamp Included
Note—The transformer built in this unit can be used on "AC" 110-115 volt 60, cycle current only.

Shipping Weight 7 Lbs.



		Code	Price
S-10806.	No Switch.....	Admire	\$2.55
S-10807.	With Switch.....	Adonis	3.75
Shipping Weight 2 Lbs.			




		Code	Price
S-10915.	No Switch.....	Allege	\$6.00
S-10916.	With Switch.....	Almond	7.20
Shipping Weight 4 Lbs.			

*Hubbell Receptacle and Plug Included




		Code	Price
S-10919.	No Switch.....	Altar	\$3.30
S-10920.	With Switch.....	Amber	4.50
Shipping Weight 3 Lbs.			



		Code	Price
S-10917.	No Switch.....	Amble	\$6.10
S-10918.	With Switch.....	Amend	7.30
Shipping Weight 4 Lbs.			

The AGLITE fixture with its rich marble-like appearance is the ideal lighting unit for use in bathrooms, hospitals, or wherever sanitation or cleanliness are essential. All visible parts are made of white glass. It harmonizes perfectly with hospital or bathroom furnishings and fittings, and is absolutely permanent as to finish.


The method of installing is simple, no insulating joint, canopy insulator or splicing of wires being required. All necessary parts are furnished with the fixture: a complete unit.



TYPE VAC

Metal Bracket, Leather Bronze Finish
Reflector White Glaze Porcelain, Enamel


Size—Watts	Extends Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
40 to 75	12	6½	\$17.50	Valentine	15



TYPE VGC

Metal Bracket, Leather Bronze Finish
Reflector, White Glazed Porcelain Enamel

Size—Watts	Extends Inches	Bowl Inches	Price	Code	Ship. Wt. Lbs.
40 to 75	15	6½	\$12.00	Value	10



Type
AGW No Switch
AGWS With Switch
Canopy 4½ in. Diam. Shade 6½ in. Diam.
Shipping Weight, 2 lbs. each.
Standard Package, Carton of 4

Code
Hose \$3.20
Host 3.70



Type
AGX No Switch
AGXS With Switch
Canopy 4½ in. Diam. Extends 8½ in.
Shipping Weight, 2 lbs. each.
Standard Package, Carton of 4.

Code
Hoof \$3.20
Hostile 3.70

The above units are made of white glazed Porcelain Enamel on steel. Shades are of best quality white glass.

Units are assembled and installed direct to house wire by means of invisible patented screw collars. No set screws or screw heads visible. Easily and quickly installed, no metal parts to tarnish or impede cleaning of unit.


Type
AGY No Switch
AGYS With Switch
Canopy 6½ in. High, 4½ in. Wide.
Extends 8½ in. Shipping Weight, 3 lbs

Code
Hub \$5.50
Hull 6.00

The method of installing is simple, no insulating joint, canopy insulator or splicing of wires being required. All necessary parts are furnished with fixture—a complete unit. This type unit is particularly adapted for use in hospital rooms and in many cases their use eliminate base board receptacles for attaching extra lights, sterilizers, cleaners and heating appliances.

The half round glass shade can be set in any position to throw light away from bed or toward ceiling, if desired. Used in upward position, it takes the place of a separate ceiling light, thus eliminating extra wiring for light and switch.

The Aesthetic, Utilitarian
and Efficient Electric
Lighting Unit




Cross Section Showing Method of
Adjusting the Socket for 75-100
or 150 W. Lamp.



S-68400 Without Switch
S-68401 With Switch
Pendant Type, 3-Foot Long Over All
Standard Finish, Tusk Ivory
Ornamental White Glass Reflector No. G-1060
13-Inches Diam. Lower Shade of Etched Glass
Adam Color—6 Inches Diam. No. G-1126
Prices Complete Except Lamps—No Package Charge
Packed 4 Units to a Carton

	Code	Price	Ship. Wt. Lbs.
S-68400 No Switch.....	Ease	\$12.00	40\Carton
S-68401 With *Switch.....	Eagle	13.50	40\of 4

*Note—Pendant Types Have the Switch in Canopy.



S-68408 Without Switch
S-68409 With Switch
Pendant Type, 3-Foot Long Over All
Standard Finish, Tusk Ivory
Ornamental White Glass Reflector No. G-1060
13-Inches Diam. Lower Shade of White Glass
6 Inches Diam. No. G-1122
Prices Complete Except Lamps—No Package Charge
Packed 4 Units to a Carton

	Code	Price	Ship. Wt. Lbs.
S-68408 No Switch.....	Ear	\$10.00	40\Carton
S-68409 With *Switch.....	Earl	11.50	40\of 4

*Note—Pendant Types Have the Switch in Canopy



S-68404 Without Switch
S-68405 With Switch
Ceiling Type With Same Finish and Glassware as on S-68400
Prices Complete Except Lamps—No Package Charge
Packed 4 Units to a Carton

	Code	Price	Ship. Wt. Lbs.
S-68404 No Switch.....	East	\$10.00	35\Carton
S-68405 With *Switch.....	Ebony	11.50	35\of 4

*Note—See Cross Section Above for Standard Arrangement of Switch




S-68412 Without Switch
S-68413 With Switch
Ceiling Type with Same Finish and Glassware as on S-68408
Prices Complete Except Lamps—No Package Charge
Packed 4 Units to a Carton


	Code	Price	Ship. Wt. Lbs.
S-68412 No Switch.....	Editor	\$8.00	24\Carton
S-68413 With *Switch.....	Effete	9.50	35\of 4

*Note—See Cross Section Above for Standard Arrangement of Switch

The E-LITE, a new two-piece glass ornamental unit is a most beautiful and efficient unit for bedrooms, sun parlors, breakfast rooms, and other locations where an efficient unit should harmonize with decorative surroundings.



CROSS SECTION BRASCOLITE



CROSS SECTION AGLITE



These Sectional Views Show
Easy Method of Installing
Brascolites, and Aglites, and
Method of Installing Switches
in Both Fixtures.

CHAIN HANGERS

All standard ceiling type Brascolites may be converted to three-chain suspension types by the addition of standard chain hangers. These hangers are packed in unit cartons, including all necessary parts for installation, and are furnished in plated finish to match the fixtures for which they are intended. The construction is in accordance with underwriters' rulings, and when used with Brascolite fixtures provide a complete approved appliance.

When fixture using standard chain hangers are ordered in lengths exceeding 4 feet, the extra lengthening will be made with single chain, as illustrated by Sketch 39.

Use Numbers Given Below for Convenience when Ordering Parts to Replace Breakage, Etc.



TUSCAN BRASCOLITE BOWL IN
4 SIZES

- | | | | |
|--------|---|--------|------------------|
| NO. 34 | - | 6 1/4" | OUTSIDE DIAMETER |
| NO. 35 | - | 8 1/4" | " " |
| NO. 36 | - | 11" | " " |
| NO. 37 | - | 14" | " " |



NEW STANDARD TRIPOD

- | | | | | |
|--------|---|--------|---|---------------------------------|
| NO. 56 | - | 5 IN. | - | FOR - 40 TO 75 W. BRASCOLITES |
| NO. 57 | - | 7 IN. | - | FOR - 100 TO 150 W. BRASCOLITES |
| NO. 58 | - | 10 IN. | - | FOR - 200 TO 300 W. BRASCOLITES |
| NO. 59 | - | 12 IN. | - | FOR - 400 TO 500 W. BRASCOLITES |



TRIPOD HOOK FOR
3 CHAIN HANGERS
NO. 44




NO. 54
SHORT
BOWL HOOK




NO. 55
LONG
BOWL HOOK



MOGUL BASE
2 PIECE RECEPTACLE
NO. 101
MEDIUM BASE NO. 51



CANOPY NO. 47



NO. 53
ADJUSTABLE
BOWL SUPPORT



NO. 24
1/2" WIRE HOLE
TAPPED 3/8" IRON
SEATS 7/8" CASING



NO. 25
1/2" WIRE HOLE
TAPPED 3/8" IRON
SEATS 7/8" CASING



NO. 42



PULL SWITCH
NO. 78




NO. 39

BRASCOLITE CHAIN



PRICES OF GLASSWARE ONLY SHOWN IN THIS CATALOG

Glass Number	Size	Style of Bowl	Shown on Type	Price Each
G-766	6 1/2"	Tuscan	AF	\$ 3.00
G-765	8 1/2"	"	"	4.00
G-764	11"	"	"	7.00
G-763	14"	"	"	12.00
G-1367	9"	Italian	WG	7.00
G-1368	12"	"	"	11.00
G-201	9"	Renaissance	OGC	9.00
G-200	11 1/2"	"	"	10.25
G-199	16"	"	"	21.50
G-1224	10"	Italian	XJE	12.50
G-1225	12"	"	"	15.00
G-1226	14"	"	"	30.00
G-1793	8"	Roman	PH	11.25
G-1794	12"	"	"	16.50
G-1795	14"	"	"	30.00
G-110	7"	Gothic	RM	6.75
G-111	9"	"	"	9.00
G-112	11 1/2"	"	XS	10.25
G-113	16"	"	"	21.50
G-391	20"	"	"	54.00
G-714	9"	Rose	PE	9.00
G-582	11 1/2"	"	"	14.00
G-790	9"	For-get-me-not	PD	9.00
G-580	11 1/2"	"	"	14.00
G-715	9"	Daisy	PG	9.00
G-1249	11 1/2"	"	"	14.00
G-588	9"	Wisteria	PF	9.00

Glass Number	Size	Style of Bowl	Shown on Type	Price Each
G-1248	11 1/2"	Wisteria	PF	\$14.00
Any National Emblem	7"	Emblematic	SF	11.00
or	9"	"	"	13.50
Trade Mark	11 1/2"	"	"	20.00
	16"	"	"	30.00
G-685	9"	Romanesque	QE	9.00
G-632	11 1/2"	"	NE	10.25
G-633	16"	"	"	21.50
G-634	20"	"	"	54.00
G-1770	8 1/2"	Commercial	STDR	2.50
G-554	8x4	"	STU	3.50
G-555	10x5	"	"	5.35
G-556	12x6	"	"	8.85
G-627	9"	Hospital	BF	6.00
G-628	11 1/2"	"	"	7.00
G-629	16"	"	"	15.00
G-236	7 1/2"	"	BCH	4.50
G-235	9"	"	"	7.50
G-1382	6 1/2"	Aglite	S-10808	1.00
G-196	6"	"	S-10805	1.00
G-529	5"	"	S-10917	1.00
G-1060	13"	Elite	S-68400	2.40
G-1126	6"	"	"	4.00
G-1122	6"	"	S-68408	2.00
G-1803	7"	Hospital	STDT	1.50
G-1805	9"	"	STDU	2.00



INDUSTROLITE
PATENTED
THE FACTORY FIXTURE
TRADE MARK REG.



Made of Steel White Porcelain Enamel inside
Dark Blue Outside. Threaded Collar fits Benco
Copper Shell Socket No. 4201


No. F-1212
50-75 Watt 10 in. Diam. Price \$3.00 each.

No. F-1214
100-150 Watt 13 in. Diam. Price \$3.60 each
(Standard Package 20 shades)
This shade is adapted to all types of Factory service.


LUMO-VITRO SWITCH PLATES
PORCELAIN ENAMELED

A NEW AND NOVEL PLATE


FOR HOSPITALS, HOTELS, HOMES
STORES, OFFICE BUILDINGS, ETC.



S-20043



S-20044



S-20046

Made of Steel, White Porcelain Enamel Inside.
Dark Blue Outside. Shade is supported by threaded collar of Benco
Socket No. 4201

No. F-1213
50-75 Watt, 10 in. Diam. Price, \$2.10
100-150-200 Watt, 13 in. Diam. Price \$2.70
(Standard Package 20 Shades)

This shade is particularly designed for use with mill type lamps,
over looms, benches and other local lighting needs.

A Switch Plate that will Outlast the Building in which
it is Installed. Packed in Individual Cartons includ-
ing Nickel Plated Screws.

Size	Type	Standard List Package Price	Code
Single Gang Push	S-20043	25 \$0.25	Giant
Two Gang Push	S-20044	25 .60	Gift
Three Gang Push	S-20045	25 .90	Grasshopper
Single Gang Plug	S-20046	25 .25	Grave

Plates Can be Furnished up to Twelve Gangs at 50c
per Gang
Also Furnished in Pale Pink, Pale Blue, Gray and
Old Ivory.

Colors at 10 Cents List per Plate Additional

BRASCOLITE ENGINEERING DATA

For Quickly, Determining Wattage and Size of Brascolites Necessary to Illuminate a Given Area

LOCATION OF FIXTURE OUTLETS

Where Outlets are Already Located, it will be unnecessary to change them provided they have a spacing distance within reasonable limits compared with those specified on the Brascolite Spacing and Mounting Height Chart.

Where New Outlets are to be Located, refer to Brascolite Spacing and Mounting Height Chart and determine the spacing distance allowed for the given mounting height. After determining the number of outlets required, divide the ceiling area into the same number of smaller equal areas and install an outlet at the center of each for an even distribution of light.

After determining spacing distance and number of lighting units to be used, also foot candle intensity required, refer to Brascolite Illumination Chart and read from curve the total wattage required to illuminate the given area to the required intensity. Dividing this figure by the total number of outlets will give the wattage required at each outlet.


AVERAGE FOOT CANDLE INTENSITIES REQUIRED FOR VARIOUS CLASSES OF LIGHTING

Armory or Drill Hall.....3.0	Gymnasium3.5	Residence—
Art Gallery Walls.....8.0	Hospital—	Porch1.0
Auditorium3.0-4.0	Corridors1.0	Hall2.0
Auto Show Room.....6.0-7.0	Wards, no local illumination	Sitting Room.....3.0
Bank4.0	supplied3.0	Music Room.....3.0
Barber Shop4.0	Ward with local illumination	Bed Room3.0
Billiard Room (general).....2.0	supplied2.0	Bath Room3.0
Billiard Table10.0	Operating Table50.0	Kitchen3.0
Bowling (Alleys)2.0	Hotels—	Dining Room.....4.0
Bowling (Pins)6.0	Lobby4.0	Furnace Room.....1.0
Courts—	Dining Room3.0	Restaurant3.0
Handball8.0	Writing Room.....4.0	Rug Rack15.0
Squash8.0	Corridor1.0	School—
Tennis8.0	Bed Room.....3.0	Class Room.....6.0
Court Room4.0	Lavatory2-3.0	Assembly Room.....3.0-4.0
Church3.0	Library—	Manual Training4.0
Dance Hall3.5	Stack Room2.0	Drawing15.0
Draughting Room15.0	Reading (no local illumination) 4.0	Sewing8.0
Engraving15-25	Reading (local illumination	Show Window25-50
Factory—	supplied)2.0	Station (Waiting Room).....3.0
General with local bench illu-	Market3.0	Stock Room.....2.0
mination2.0	Moving Picture Theatre.....3.0	Store {
Local illumination.....8.0	Museum5.0	Art6.0
Factory—	Office6.0	Clothing6.0
Complete6.0	Pattern Shop6.0	Dry Goods.....6.0
Fire Station—	Power House3.5	Furniture6.0
Alarm turned in.....3.0	Postal Service.....10.0	Jewelry6.0
All other times.....1.5	Press Room.....6.0	Shoe6.0
Foundry5.0	Reading (ordinary print).....6.0	Store {
Garage (car storage).....2.0	Reading (fine print).....15.0	Book4.0
Garage (repairing)5.0		Grocery4.0
		Tobacco4.0
		Notions4.0
		Swimming Pool3.0
		Type-setting15.0
		Warehouse1.5-2.0

The above method of calculating illumination is approximate only but is sufficiently accurate for all practical purposes.

Our Illumination Engineering Department is at your service for solving your lighting problems.

CHART FOR CALCULATING BRASCOLITE ILLUMINATION



Select from the table on page 28 the foot candle intensity required for the service. Locate this value on the scale "A" at left hand margin and trace horizontally to the right to intersection with curved line, then down to lower margin where square feet may be read from scale "C". The value thus obtained will be the area which can be lighted with 100 watts; divide actual area to be lighted by the value obtained and multiply the result by 100 which will give you the wattage for the entire area.

The chart may be used in reverse order to determine foot candles which will be produced in a given space by a lamp of given size.

To determine either spacing or mounting height when either factor is known, select on scale "B" or "D" the known factor (mounting height or spacing respectively) and trace to diagonal line then to margin for other factor.

Values obtained by this method may be considered approximately correct for mounting heights of 10'0". To obtain correct values for additional heights up to 17'0" increase the wattage determined by the chart method by the following percentage:

11'0"	add 5%	to the value for 10'0"	15'0"	add 36%	to the value for 10'0"
12'0"	11%	"	16'0"	47%	"
13'0"	17%	"	17'0"	59%	"
14'0"	26%	"			


Computations are based on rooms of average size having medium colored walls and ceilings. For rooms having dark walls and ceilings add 12% to values obtained by the above method. Results obtained by this method are approximate only, but are sufficiently accurate for all practical purposes.

Example: A shoe store size 18x96 ft. with 12' ceiling is to be lighted.


By referring to table we find that 6.0 foot candles is required. Tracing from 6.0 on left margin scale "A" to curve then down to lower margin we find 112 sq. ft. will be lighted by each 100 watts. Total area $18 \times 96 = 1728$; $1728 \div 112 = 15.4$; $15.4 \times 100 = 1540$; add 11% for 12' ceiling height $= 1540 \text{ plus } 169 = 1709$; therefore 1709 watts will light the store under consideration to an intensity of 6.0 foot candles.

Since the ceiling height is 12 ft. we will select mounting height as being directly on the ceiling. Tracing from 12 on scale "B" at lower left hand margin to diagonal line and then down to margin we read an average spacing from scale "D" of 16'6", dividing room length 96 ft. by 16'6" we get 6 as a result which is the number of outlets required; as previously determined we require 1709 watts for the total space and would therefore use 6-300 watt lamps (1800 watts).


Reversing our calculations to determine exact foot candles developed we take the area served by one lamp (288 sq. ft.) locate this value on scale "C", trace up to intersection with curved line then to left margin where we read 2.32 foot candles which is the value of illumination for each 100 watts of lamp capacity. Since we are using 300 watt lamps the intensity will be $3 \times 2.32 = 6.96$ foot candles which value we must reduce by 11% to correct for excess height to 6.2 ft. candles which is the correct value.



B 1996



B 2070



B 2085